

**Abstract**

The invention relates to a method for determining whether a treatment of a disorder with an HDAC inhibitor is to be started/continued or not comprising determining the level of histone acetylation in the sample by use of an antibody capable of binding to acetylated histone, and classifying the disorder as to be treated with an HDAC inhibitor when the level of histone acetylation is significantly lower than that of a reference sample. The invention further relates to the diagnostic and prognostic use of specific antibodies and cell lines producing them.

(19) World Intellectual Property  
Organization  
International Bureau



30 MAR 2005

(43) International Publication Date  
8 April 2004 (08.04.2004)

PCT

(10) International Publication Number  
**WO 2004/029622 A2**

(51) International Patent Classification<sup>7</sup>: **G01N 33/50**

Carlo Goldoni 1, I-20129 Milan (IT). **FARETTA, Mario**  
[IT/IT]; Via Turati 49, I-20094 Corsico (Milan) (IT).

(21) International Application Number:

PCT/EP2003/010842

(74) Agents: **KELLER, Günter et al.; LEDERER & KELLER**, Prinzregentenstrasse 16, 80538 München (DE).

(22) International Filing Date:

30 September 2003 (30.09.2003)

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

02021984.6

30 September 2002 (30.09.2002) EP

(84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

(71) Applicant (*for all designated States except US*): **G2M CANCER DRUGS AG** [DE/DE]; Paul-Ehrlich-Strasse 42-44, 60596 Frankfurt am Main (DE).

(72) Inventors; and

(75) Inventors/Applicants (*for US only*): **PELICCI, Pier, Giuseppe** [IT/IT]; Via Emilia 10, I-20090 Opera (Milan) (IT). **MINICCI, Saverio** [IT/IT]; Via Don Minzoni 1, I-20090 Opera (Milan) (IT). **PICCINI, Daniele** [IT/IT]; Via Nenni 67, I-20085 Locate di Triulzi (Milan) (IT). **MACCARANA, Marco** [IT/IT]; Via Gran San Bernardo 32C, I-24068 Seriate (Bergamo) (IT). **RONZONI, Simona** [IT/IT]; Viale Lombardia, I-22066 Mariano Comense (COMO) (IT). **ARECES, Liliana, Beatriz** [IT/IT]; Via

**Published:**

— without international search report and to be republished upon receipt of that report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: ANTIBODY TOOLS FOR THE DIAGNOSTIC USE IN THE MEDICAL THERAPY WITH INHIBITORS OF HISTONE DEACETYLASES

(57) Abstract: The invention relates to a method for determining whether a treatment of a disorder with an HDAC inhibitor is to be started/continued or not comprising determining the level of histone acetylation in the sample by use of an antibody capable of binding to acetylated histone, and classifying the disorder as to be treated with an HDAC inhibitor when the level of histone acetylation is significantly lower than that of a reference sample. The invention further relates to the diagnostic and prognostic use of specific antibodies and cell lines producing them.

WO 2004/029622 A2